

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

1 Identification

· Product identifier

· Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

Product code:

17400

Votive- F400; F405, F435, F440

Tealite - F410

Taper - F415, F420, F425

Plumber - F430

Pillar - F445, F450, F455

Victorian Glass – F460

Caterlites - F465

· CAS Number:

8002-74-2

- · Recommended use and restriction on use
- · Recommended use: Illuminating Product.
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Fancyheat Corporation

40 Veronica Avenue

Somerset, NJ 08873 USA

1-973-589-1450

Emergency telephone number:

CHEMTREC

1980794242936887U. Strictermadia nal)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not regulated.
- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- Hazard statements: Not regulated.
- · Precautionary statements: Not regulated.
- · Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)

Page: 1/8



intu Data Chant

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 1)

Page: 2/8

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

8002-74-2 Paraffin waxes and Hydrocarbon waxes

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Water fog / haze

Foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide, carbon dioxide.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Remove ignition sources.

(Cont'd. on page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 2)

- Environmental precautions Avoid release to the environment.
- Methods and material for containment and cleaning up

Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Keep out of reach of children.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

REL (USA)	Long-term value: 2 mg/m³
TLV (USA)	Long-term value: 2 mg/m³
EL (Canada)	Long-term value: 2 mg/m³
EV (Canada)	Long-term value: 2 mg/m³ Long-term value: 2 mg/m³ Long-term value: 2 mg/m³ Long-term value: 2 mg/m³ fume
LMPE (Mexico)	Long-term value: 2 mg/m³

, ,, ,

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.

(Cont'd. on page 4)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 3)

· Protection of hands:

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:

Not required for normal handling. Wear protective eyewear while handling damaged or leaking product.

- · Body protection: Not required under normal conditions of use.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties				
Information on basic physical and chemical properties				
Appearance:				
Form:	Solid			
Color:	According to product specification			
Odor:	Nearly odorless			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Melting point/Melting range:	53-57°C (127-135 °F)			
Boiling point/Boiling range:	341-665°C (646-1229 °F)			
Flash point:	113°C (235 °F)			
Flammability (solid, gaseous):	Not determined.			
Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidizing properties:	Non-oxidizing.			
Vapor pressure:	Not determined.			
Density:				
Relative density:	0.9			
Vapor density:	Not applicable.			
Evaporation rate:	Not applicable.			
Solubility in / Miscibility with				
Water:	Insoluble.			
Partition coefficient (n-octanol/wat	ter): Not determined.			
Viscosity				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 4)

Page: 5/8

· Other information

No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: No irritant effect.
- · On the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- IARC (International Agency for Research on Cancer):

Substance is not listed.

NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 6)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

4 Transport information		
· UN-Number		
· DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group DOT, ADR, IMDG, IATA	Not regulated.	
· Environmental hazards		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
		(Cont'd. on page



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 6)

Page: 7/8

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

Substance is listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

· Canadian Domestic Substances List (DSL):

Substance is listed.



Page: 8/8 Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: PARAFFIN WAX & HYDROCARBON WAX CANDLES

(Cont'd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision August 10, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com