Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 04/22/2022

Version: 1.0

### **SECTION 1: IDENTIFICATION**

# 1.1. Product Identifier

**Product Form:** Mixture

Product Name: Methanol Cooking Gel

Product Code: 17800-F825

Synonyms: F825

#### 1.2. Intended Use of the Product

Cooking gel.

# 1.3. Name, Address, and Telephone of the Responsible Party

FancyHeat Corporation 40 Veronica Ave Somerset, NJ 08873 United States T (973)-589-1450

<u>customerservice@fancyheat.com</u> - <u>www.fancyheat.com</u>

#### L.4. Emergency Telephone Number

Emergency Number : For Chemical Emergency Call CHEMTREC day or night

Within USA and Canada: 1.800.424.9300

Mexico: 1.800.681.9531

Outside USA and Canada: 1.703.527.3887 (collect calls accepted)

## **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the Substance or Mixture

### **GHS-US/CA Classification**

Flam. Liq. 3 H226 Acute Tox. 3 (Oral) H301 Acute Tox. 3 (Dermal) H311 Acute Tox. 3 (Inhalation) H331 STOT SE 1 H370

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label Elements

**GHS-US/CA Labeling** 

Hazard Pictograms (GHS-US/CA)







Signal Word (GHS-US/CA)

Hazard Statements (GHS-US/CA) : H226 - Flammable liquid and vapor.

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

H370 - Causes damage to organs (optic nerve).

Precautionary Statements (GHS-US/CA): P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take action to prevent static discharges. P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

04/22/2022 EN (English US) 1/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor.

P311 - Call a POISON CENTER or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P330 - Rinse mouth.

P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Synonyms	Product Identifier	% *	<b>GHS Ingredient Classification</b>
Methanol	Methyl alcohol / Carbinol / Methyl hydroxide / Wood alcohol	(CAS-No.) 67-56-1	60 - 80	Flam. Liq. 2, H225
				Acute Tox. 3 (Oral), H301
				Acute Tox. 3 (Dermal), H311
				Acute Tox. 3 (Inhalation), H331
				STOT SE 1, H370

Full text of H-statements: see section 16

#### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

**Skin Contact:** Immediately remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Immediately call a poison center or doctor/physician.

**Eye Contact:** Remove contact lenses, if present and easy to do. Continue rinsing. Immediately rinse with water for at least 15 minutes. Immediately call a poison center or doctor/physician.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes damage to organs (optic nerve). Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Inhalation: Inhalation of this material can cause serious health effects in small amounts, leading to unconsciousness and death.

**Skin Contact:** This material is toxic in small amounts through skin contact, and can cause adverse health effects or death. This material may be absorbed through the skin and eyes.

Eye Contact: May cause slight irritation to eyes.

04/22/2022 EN (English US) 2/9

<sup>\*</sup>Percentages are listed in weight by weight percentage (w/w%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Ingestion:** This material is toxic in small amounts orally, and can cause adverse health effects or death. This material contains methanol, which, when ingested, may cause acidosis and ocular toxicity ranging from diminished visual capacity to complete blindness, and possible death.

Chronic Symptoms: None expected under normal conditions of use.

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

# 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Flammable liquid and vapor. Alcohols burn with a pale blue flame that is difficult to see under normal lighting conditions.

**Explosion Hazard:** May form flammable or explosive vapor-air mixture. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors. An uncontrolled polymerization may produce a rapid release of energy with the potential for an explosion of unvented closed containers.

Reactivity: Reacts violently with strong oxidizers. Increased risk of fire or explosion.

# **5.3.** Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Formaldehyde. Nitrogen oxides.

#### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Eliminate ignition sources first, then ventilate the area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Use only non-sparking tools. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# SECTION 7: HANDLING AND STORAGE

# 7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

04/22/2022 EN (English US) 3/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Take precautionary measures against static discharge. Use only non-sparking tools. Handle empty containers with care because they may still present a hazard. Use only outdoors or in a well-ventilated area.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

## 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

**Storage Conditions:** Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

Incompatible Materials: Oxidizing agent. Reducing agents. Alkali metals. Nitrides. Metal salts of oxoacids.

## 7.3. Specific End Use(s)

Cooking gel.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

governments.		,
Methanol (67-56-1)		
USA ACGIH	ACGIH OEL TWA	200 ppm
USA ACGIH	ACGIH OEL STEL	250 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the
		cutaneous route
USA ACGIH	BEI BLV	15 mg/l Parameter: Methanol - Medium: urine - Sampling time: end of
		shift (background, nonspecific)
USA OSHA	OSHA PEL TWA	260 mg/m <sup>3</sup>
USA OSHA	OSHA PEL TWA	200 ppm
USA NIOSH	NIOSH REL TWA	260 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL TWA	200 ppm
USA NIOSH	NIOSH REL STEL	325 mg/m³
USA NIOSH	NIOSH REL STEL	250 ppm
USA IDLH	IDLH	6000 ppm
Alberta	OEL STEL	328 mg/m <sup>3</sup>
Alberta	OEL STEL	250 ppm
Alberta	OEL TWA	262 mg/m³
Alberta	OEL TWA	200 ppm
British Columbia	OEL STEL	250 ppm
British Columbia	OEL TWA	200 ppm
Manitoba	OEL STEL	250 ppm
Manitoba	OEL TWA	200 ppm
New Brunswick	OEL STEL	328 mg/m³
New Brunswick	OEL STEL	250 ppm
New Brunswick	OEL TWA	262 mg/m³
New Brunswick	OEL TWA	200 ppm
Newfoundland & Labrador	OEL STEL	250 ppm
Newfoundland & Labrador	OEL TWA	200 ppm
Nova Scotia	OEL STEL	250 ppm
Nova Scotia	OEL TWA	200 ppm
Nunavut	OEL STEL	250 ppm
Nunavut	OEL TWA	200 ppm
Northwest Territories	OEL STEL	250 ppm

04/22/2022 EN (English US) 4/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Northwest Territories	OEL TWA	200 ppm
Ontario	OEL STEL	250 ppm
Ontario	OEL TWA	200 ppm
Prince Edward Island	OEL STEL	250 ppm
Prince Edward Island	OEL TWA	200 ppm
Québec	VECD OEL STEL	328 mg/m³
Québec	VECD OEL STEL	250 ppm
Québec	VEMP OEL TWA	262 mg/m³
Québec	VEMP OEL TWA	200 ppm
Saskatchewan	OEL STEL	250 ppm
Saskatchewan	OEL TWA	200 ppm
Yukon	OEL STEL	310 mg/m <sup>3</sup>
Yukon	OEL STEL	250 ppm
Yukon	OEL TWA	260 mg/m³
Yukon	OEL TWA	200 ppm

#### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gas detectors should be used when toxic gases may be released.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Face shield.











Materials for Protective Clothing: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State : Liquid
Appearance : Blue gel liquid

Odor
Odor Threshold

PH
Supportation Rate
Continued The Solid State Stat

Flash Point : 25.6 °C (78 °F) (closed cup)

Auto-ignition Temperature

Decomposition Temperature

Flammability (solid, gas)

Lower Flammable Limit

Upper Flammable Limit

Vapor Pressure

Relative Vapor Density at 20°C

No data available

04/22/2022 EN (English US) 5/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Relative Density : No data available
Specific Gravity : No data available
Solubility : Water: Complete
Partition Coefficient: N-Octanol/Water : No data available
Viscosity : No data available

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity:

Reacts violently with strong oxidizers. Increased risk of fire or explosion.

#### 10.2. Chemical Stability:

Flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

#### 10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

#### 10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

## 10.5. Incompatible Materials:

Oxidizing agent. Reducing agents. Alkali metals. Nitrides. Metal salts of oxoacids.

#### 10.6. Hazardous Decomposition Products:

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Toxic if swallowed.

Acute Toxicity (Dermal): Toxic in contact with skin.
Acute Toxicity (Inhalation): Toxic if inhaled.

#### LD50 and LC50 Data

ED30 and EC30 Data.	
Methanol Cooking Gel	
ATE US/CA (oral)	> 150 mg/kg body weight
ATE US/CA (dermal)	> 452 mg/kg body weight
ATE US/CA (vapors)	> 4.5 mg/l/4h

Skin Corrosion/Irritation: Not classified Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Causes damage to organs (optic nerve).

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Inhalation of this material can cause serious health effects in small amounts, leading to

unconsciousness and death.

**Symptoms/Injuries After Skin Contact:** This material is toxic in small amounts through skin contact, and can cause adverse health effects or death. This material may be absorbed through the skin and eyes.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** This material is toxic in small amounts orally, and can cause adverse health effects or death. This material contains methanol, which, when ingested, may cause acidosis and ocular toxicity ranging from diminished visual capacity to complete blindness, and possible death.

Chronic Symptoms: None expected under normal conditions of use.

# 11.2. Information on Toxicological Effects - Ingredient(s)

## LD50 and LC50 Data:

Methanol (67-56-1)	
LD50 Dermal Rabbit	15840 mg/kg
LC50 Inhalation Rat	22500 ppm (Exposure time: 8 h)

04/22/2022 EN (English US) 6/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

ATE US/CA (oral) > 100 mg/kg body weight	
ATE US/CA (dermal)	> 300 mg/kg body weight
ATE US/CA (vapors)	> 3.0 mg/l/4h

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. **Toxicity**

Ecology - General: Not classified.

Methanol (67-56-1)	
LC50 Fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Crustacea	1340 mg/l
LC50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

#### 12.2. **Persistence and Degradability**

Methanol Cooking Gel	
Persistence and Degradability	Not established.

#### 12.3. **Bioaccumulative Potential**

Methanol Cooking Gel		
Bioaccumulative Potential	Not established.	
Methanol (67-56-1)		
BCF Fish <10		
Partition coefficient n-octanol/water (Log Pow) -0.77		

#### 12.4. **Mobility in Soil**

No additional information available

#### 12.5. Other Adverse Effects

Other Information: Avoid unnecessary release into the environment.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: Avoid unnecessary release into environment.

#### **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

#### In Accordance with DOT 14.1.

**Proper Shipping Name** : ALCOHOLS, N.O.S. (Methanol)

**Hazard Class** : 3 **Identification Number** : UN1987 **Label Codes** : 3

**Packing Group** : 111 : 127 **ERG Number** 

**Additional Information** : Limited Quantity for packages not exceeding 30 kg gross and inner packaging not exceeding 5 L

#### 14.2. In Accordance with IMDG

**Proper Shipping Name** : ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Methanol)

**Hazard Class** : 3 (6.1) **Identification Number** : UN1986 **Label Codes** : 3.6.1 : 111 **Packing Group** : F-F EmS-No. (Fire) EmS-No. (Spillage) : S-D

**Additional Information** : Limited Quantity for packages not exceeding 30 kg gross and inner packaging not exceeding 5 L

each.







Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### 14.3. In Accordance with IATA

Proper Shipping Name : ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Methanol)

Hazard Class : 3 (6.1)
Identification Number : UN1986
Label Codes : 3, 6.1

Packing Group : III ERG Code (IATA) : 3P

Additional Information : Limited Quantity for packages not exceeding 30 kg gross weight, inner packaging not exceeding 1

L net quantity each, and 2 L total net quantity per package.

#### 14.4. In Accordance with TDG

Proper Shipping Name : ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Methanol)

Hazard Class : 3
Identification Number : UN1986
Label Codes : 3, 6.1
Packing Group : III

Additional Information : Limited Quantity for packages not exceeding 30 kg gross and inner packaging not exceeding 5 L

each.

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. US Federal Regulations

Methanol Cooking Gel		
SARA Section 311/312 Hazard Classes Health hazard - Acute toxicity (any route of exposure)		
	Health hazard - Specific target organ toxicity (single or repeated exposure)	
	Physical hazard - Flammable (gases, aerosols, liquids, or solids)	
Methanol (67-56-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active		
Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	5000 lb	
SARA Section 313 - Emission Reporting	1%	

#### 15.2. US State Regulations

#### **California Proposition 65**



**WARNING:** This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Methanol (67-56-1)		X		

### Methanol (67-56-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

#### 15.3. Canadian Regulations

# Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 04/22/2022

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products

Regulations (HPR) SOR/2015-17.

### **GHS Full Text Phrases:**

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3

04/22/2022 EN (English US) 8/9

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H370	Causes damage to organs

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

04/22/2022 EN (English US) 9/9